
Understanding Fiber Optics


Optical Fiber Types



Refractive index: A measure of the speed of light in a material. The n1 and n2 are the respective refractive index of the cladding and the core. n1<n2 is the condition for the light to travel down the fiber. *Index profile:* Variations of the refractive index along a fiber diameter.

	ITU Fiber Standard	Description	Applications
	G.651	Characteristics of a 50/125 mm multimode-graded index optical fiber cable	Video and datacom in premises networks Up to 10 GE transmission in local area networks (up to 300 m) Wavelength coverage: 850 to 1300 nm
	G.652 Class A/B G.652 Class C/D	Characteristics of single-mode optical fiber and cable	From access to long-haul networks; supports high bit rate transmission (>10 G, 10 E, and on); suitable for DWDM and CWDM systems Wavelength coverage: 1260 to 1625 nm
	G.655 Class C G.655 Class D G.655 Class E	Characteristics of non-zero- dispersion-shifted single-mode optical fiber and cable	Transmission applications at high bit rates for STM-64/OC-192 (10 G) over longer distances; suitable for STM-256/OC-568 (40 G); supports DWDM transmission applications in the C+L bands Wavelength coverage: 1550 to 1625 nm
	G.657 Class A G.657 Class B	Characteristics of bending loss- insensitive single-mode optical fiber and cable for access networks	Support optimized access network installation with very short bending radii applied in fiber management systems and particularly for indoor and outdoor installation, particularly in FTTx networks Wavelength coverage: 1260 to 1625 nm

Typical Fiber Cables A cable consists of optical fibers surrounded by materials that provide them with mechanical and environmental protection




(up to 200 fibers in one cable).

Band	Description	Wavelength Range	
0	Original (second window)	1260 to 1360 nm	
E	Extended	1360 to 1460 nm	
S	Short wavelengths	1460 to 1530 nm	
C	Conventional ("erbium window")	1530 to 1565 nm	
L	Long wavelengths	1565 to 1625 nm	
U	Ultra-long wavelengths	1625 to 1675 nm	

Optical Transmission

Optical Loss Budget

Consider network topology and equipment specifications when installing a fiber network. One major parameter to measure is optical loss budget, or end-to-end optical link loss. Consider the source, detector, and optical transmission line when calculating the optical loss budget of a fiber link.



Optical loss budget must consider both link loss and system power margins to allow for the effects of environment, aging, and eventual repairs.

Use the typical values for various components to calculate link loss budgets.


- **A** Total **connector Loss = 0.5 dB** x number of connector pairs
- **B** Total fiber Loss = loss per km x fiber distance 1310 nm ≈ 0.35 dB/km
 - 1550 nm ≈ 0.2 dB/km
- **C** Total **splice Loss = 0, 1 dB** x number of splices

D Total other comp

onents loss = loss x number of components				
	Mechanical splice	≈ 0.5 dB		
	1:2 splitter	≈ 3.5 dB		
	1:32 splitter	≈ 17 dB		

Fiber Optic Transmission Windows







Attenuation results from various scattering and absorption mechanisms and is wavelength-dependent.

- Single-mode optical fibers operate over a wide range of wavelengths, therefore, the attenuation measurement is performed as a function of wavelength, typically between 1200 nm and 1625 nm.
- Fiber optic transmission uses the three optical windows (850,1300, 1550 nm) provided by the attenuation characteristics of the silica fibers.
- Also, 635 nm light is used for visible fault location.
- Remote fiber testing uses a wavelength of 1625 nm or above to avoid disturbing traffic.

Rayleigh scattering: light energy is scattered in all directions causing loss

NSWP: nonsuppressed water peak *LWP:* low water peak (for example, G.652.D fiber)





Si: Silicon for applications in the visible light range (400 to 1000 nm) **Ge:** Germanium for applications in optical windows (750 to 1600 nm) InGaAs: Induim gallium arsenide for applications in optical windows (>1000 nm)

Measurement Units : Watts, dB, or dBm

Absolute Power (mW)	Absolute Power (dBm
1000	+30
100	+20
10	+10
5	+7
1	0
0,5	-3
0,1	-10
0,01	-20
0,001	-30
0,0001	-40

Loss (dB)
-0,10
-0,20
-0,35
-1
-3
-6
-10
-20

20 50 75 90 99

Power (%)

8

dB: quantify gain or loss dB = 10 log $\frac{P_1}{P_2}$ (P₁ and P₂ expressed in watts) P(dBm) = 10 log $\frac{P_1}{1 \text{ mW}}$ (P₁ expressed in mW)

dBm: specify absolute power levels

Optical Connector

Wavelength (nm)

Connector Types*	Name	Applications
	FC-PC / FC-APC	Datacom, telecommunication, CATV
	SC-PC / SC-APC	Datacom, telecommunication, CATV, LAN
	E2000-PC / E2000-APC (Ferrule diameter : 2.5 mm)	Datacom, telecommunication, CATV, LAN
	LC-PC / LC-APC (Ferrule diameter : 1.25 mm)	High-density interconnection, datacom, telecommunication, CATV
	ST-PC	Inter-/intra-building, security, Navy, datacom, LAN
	MU-PC / MU-APC	Datacom, telecommunication, CATV
	MTP-MPO (ribbon fiber connectors)	Data center, inter/intra-building, LAN
	OptiTap®-PC / Optitap®-APC	Outdoor FTTx telecommunication

* Nonexhaustive list




Hybrid Mating Adapter

Optical Connection Inspection

It is very important to clean connectors. A dirty connector will dramatically increase the power loss. Inspect your connector before and after cleaning using a /ideoscope.

Mating Adapter / Ferrule \ Key





To learn more, visit viavisolutions.com

Key

© 2016 Viavi Solutions Inc. Product specifications and descriptions in this document are subject to change without notice. understandingfo-po-fop-tm-ae 30149215 905 1018